



**OULGARET MUNICIPALITY
PUDUCHERRY – 5**

F.No. 32-27/AE-I/JE(O)/OM/2024-25

Jawahar nagar, the 12/11/2024

QUOTATION NOTICE

On behalf of the Oulgaret Municipal Council, sealed quotations are invited by the undersigned from eligible firms for the work of **“Name of work: Construction of 1st floor and compound wall including balance work in ground floor to the Community hall in Pudu nagar, Reddiarpalayam in Oulgaret Constituency. Name of Sub.work: Providing of Dining Tables, Chairs, Kitchen equipment's and Utensils to the Community Hall at Pudu Nagar, Reddiarpalayam in Oulgaret Constituency”**

Sl. No.	Description	Unit	Rate
1	Providing and Fabricating of Rise Vessel Boiler: Capacity 30 liter (15liter Rise) Fabricated using 304 grade SS sheet tk 18/20 gauge – Double Walled Outer body is made of Thick tested Steel Sheets and painted – SS stand with tilting handle for easy operation using round pipes plats – T 10 burner setting - Copper pipe - NC valve – burner erosion fitting with fire brick lining for thermal insulation.	no.	
2	Providing and Fabricating of Multi-Purpose Vessel Boiler: Capacity 30 liter (15liter Dall) Operated ideal for boiling dhal, vegetable, mutton and to prepare sambar, rasam etc. Fabricated using 304 grade SS sheet tk 18/20 gauge – Double Walled Outer body is made of Thick tested Steel Sheets and painted – SS stand with tilting handle for easy operation using round pipes plats – T 10 burner setting - Copper pipe - NC valve – burner erosion fitting with fire brick lining for thermal insulation.	no.	
3	Providing and Fabricating of Milk Cooker: Capacity: 40Litres. Fabricated using 304 grade SS sheet tk 18/20 gauge. Steam Operated Double jacketed walled vessel with safety valve ideal for boiling milk and kept in Hot condition. SS stand with tilting handle for easy operation using round pipes plats etc. T 10 burner setting - Copper pipe - NC valve – burner erosion fitting with fire brick lining for thermal insulation.	no.	
4	Providing and Fabrication of Dosai/ Chappathi/ Backing oven (S.S) overall size: 60" Length x 30" Breadth x 33' Height. The inner frame is made of Sturdy MS Angle and the Top is fitted with 20mm thick tested steel plate for backing Dosai (or) Chappathi. The unit is provided with SS skirt and waste drain trough on sides. The front portion facing the cook is given panel for avoid heat radiation. The unit is mounted on SS tubular legs with nylon bullet feet. The unit is fitted with 2Nos V type burner with individual needle control value	no.	
5	Providing and Fabricating of Single Burner L.P Gas Cooking Range (Stainless Steel) overall size:- 30" Length x 30" Breadth x 18" Height. The Inner frame is made of Sturdy MS Angle and top is provided with 2Nos of heavy duty pan support. The remaining portion of the Top and the four sides are covered with 304 grade (20 G) salem stainless steel sheet. The unit is mounted on the stainless sheet tubular frame with nylon adjustable bullet feet. The unit is fitted with 1 No of T35 Gas Burner with individual control value.	no.	

6	Providing and Fabricating of Double Burner L.P Gas Cooking Range (Stainless Steel) overall size:- 60" Length x 30" Breadth x 18" Height. The Inner frame is made of Sturdy MS Angle and top is provided with 2Nos of heavy duty pan support. The remaining portion of the Top and the four sides are covered with 304 grade (20 G) salem stainless steel sheet. The unit is mounted on the stainless sheet tubular frame with nylon adjustable bullet feet. The unit os fitted with 2 Nos of T35 Gas Burner with individual control value.	no.	
7	Providing, Fabrication and Installation of L.P. Gas Line works: CYLINDER ROOM TO COOKING RANGE CYLINDER CAPACITY 4 CYLINNDERS WITH ALL FITTING MATERIALS like ½ inch C class Pipe ISI mark, elbow, tee, coupling packing materials, high pressure regulator, on / off valves, manifold pipe, N.C. Valves, N.R. valves, Flexible Hoses, adopters, pressure gauge manifold clamps, pipe line camps, etc including installation.	Rft	
8	Supply and Installation of Coconut Scrapping Machine ¼ H.P. Motor, Single Phase, Single side covered with SS box type fabrication using 18 gauge, 304 grade sheet on top also with necessary supporting MS frames with rest.	no.	
9	Supply and Installation of Heavy Duty Wet Grinder: Capacity: 5 Litres ½ H.P. Motor, Gear operation, 18" Dia x 9" Height, 22 gauge thickness S.S Drum box type covered with SS sheet of 20 gauge 304 grade.	no.	
10	Supply and Installation of Heavy Duty Wet Grinder: Capacity: 7 Litres 1H.P.. Motor, Gear operation, 20" Dia x 10" Height, 22 gauge thickness S.S Drum box type covered with SS sheet of 20 gauge 304 grade.	no.	
11	Supply of Oil Frying Kadaai: Capacity 5 litres. Fabricated by M.S. Material, 14 gauge thick with heavy duty handles, required diameter and pan depth.	no.	
12	Supply of Oil Frying Kadaai: 30 litres. Fabricated by M.S material, 14 guage thick with Heavy duty handles, required diameter and pan depth.	no.	
13	Providing and Fabricating of Iddly Cooker: Capacity 120 Iddlies per charge. Operative – Pressure 5Psi. Cooking time 10minutes. Operated by Steam. Fabricated by 304 grade SS sheet tk 18/20 gauge designed to prepare Iddlies in bulk in two chambers with Six – Iddly trays. The Iddly unit is stand on SS – Tubular Frame with Nylon Adjustable Bullet Feet with fire brick lining for thermal insulation	no.	
14	Supply of spare Iddly Trays: Standard size, Fabricated in Stainless Steel Materials 20 gauge 304 grade	no.	
15	Stainless Steel Dining Table Top made of 304 grade material 1.2mm (18 G sheet) with one stiffeners, 50mm SS round pipe 1.2mm thick and 25mm SS round pipe 1.2mm thickness size:- 72"(L) x 21"(W) x 30"(H)	no.	
16	Supply of Plastic Moulded chair without arm (Dining Chair) (Supreme Lilley make first quality)	no.	
17	Supply of Plastic Moulded chair with arm (Dining Chair) (Supreme Johnson make first quality)	no.	
18	SS HOOD WITH BAFFLE TYPE FILTERS: Hoods are made out of 22 swg SS sheet and inner frame works to be provided with 22 swg SS channels have a Complete gutter 150 mm along the perimeter with an oil drain box the hoods are provided with 22 swg SS sheet frame at 45 degree which are provided with suitable removable baffle type filters with handle both the sides and closed the filters frame works are provided. (jindal)	22 RFT	
19	G.I. DUCTINGS: Fabrication and erection of G.I. ducting's made out of 22 swg GI sheets as per our design and site condition approximate 680 sqft. With suitable 25x25x3 MS angle flanges and Hardware items such as Bolt and nuts, rubber gaskets, anchor fasteners, suspension rods and bottom channel supports for hoods and ducting's and thread rods for systems. (Jindal steel and tata steel) Galvanized 120 Gsm Steel Sheets.	sqft	

20	5 HP CENTRIFUGAL BLOWER: BODY: MS 2 MM SHEET MODEL DMR 150 VOLUME: 8000 CFM STATIC PRESSURE: 50-60MM DRIVE: DIRECT POWER: 1.5 KW MOTOR: 5 HP 1440 RPM (CROMPTON)	no.	
----	--	-----	--

Terms and Conditions:

1. Quotations should be sealed and superscribed as **"Name of work: Construction of 1st floor and compound wall including balance work in ground floor to the Community hall in Pudu nagar, Reddiarpalayam in Oulgaret Constituency. Name of Sub-work: Providing of Dining Tables, Chairs, Kitchen equipment's and Utensils to the Community Hall at Pudu Nagar, Reddiarpalayam in Oulgaret Constituency"**
2. Quotation will be received by the undersigned upto 3.30 p.m. on 28/11/2024 and opened at 4.00 p.m. on the same day.
3. The Oulgaret Municipal Council reserves the right to reject any or all the quotations without assigning any reason thereof.
4. The rate quoted should be inclusive of all charges viz, GST, Taxes, Transporting, etc., complete.
5. The rates quoted should be valid for 90 days from the date of opening of quotation.
6. The firm should has executed similar type of work in the last two years.


COMMISSIONER

To

1. Notice Board.